U.S. Patent Application No.: 10/685,685

Filing Date: October 15, 2003

First Named Inventor: Anthony Costa

Amendments to the Claims

This listing of claims will replace prior versions and listings of claims in the

application:

Claims 1 to 24 have been amended as follows: Underlines indicate insertions and

strikethrough indicate deletions. For clarity purposes, deletion of the number 4 is denoted by

[[4]].

Listing of claims:

1. (previously presented) A gel matrix for topical use on a subject having an

epithelial surface to be immersed in water, said epithelial surface comprising mucus, mucosa or

skin surface, the gel matrix comprising:

- about 15% w/w polyethylene glycol-150/decyl alcohol/saturated

dicyclohexyl-methane diisocyanate copolymer, which confers to said

matrix the characteristics of being insoluble but dispersible in water, and

capable of adhering to said epithelial surface,

- a liquid carrier which is bio-compatible with said epithelial surface,

- the gel matrix having a viscosity, before application, of about 35-55

centipoises.

2. - 4. (cancelled)

5. (original) The gel matrix of claim 1, which further comprises a medication.

6. (original) The gel matrix of claim 5, wherein said medication is active

towards a causative agent or a symptom affecting said surface.

7. (original) The gel matrix of claim 6, wherein said medication is one or more

anti-ulcer, anti-microbial, anti-histaminic, anti-inflammatory, soothing, wound healing, anti-

oxidant, sun screen, anti-UVs, anti-cancer, anesthetic and analgesic agents.

2

PHDATA 1429056_1

U.S. Patent Application No.: 10/685,685

Filing Date: October 15, 2003

First Named Inventor: Anthony Costa

8. (original) The gel matrix of claim 5, wherein said medication is an organic oil.

- 9. (original) The gel matrix of claim 8, wherein said oil is a plant extract.
- 10. (original) The gel matrix of claim 9, wherein said plant oil extract has antiinfectious properties.
 - 11. (cancelled)
- 12. (previously presented) The gel matrix of claim 10, wherein said plant oil is pine, clove, coriander or Sweet Birch oil.
- 13. (original) The gel matrix of claim 12, wherein said oil is present in a final concentration of 1-5 % (w/w).
- 14. (original) The gel matrix of claim 8, which further comprises an anti-oxidant.
- 15. (previously presented) The gel matrix of claim 1, which comprises 15 % (w/w) polyethylene glycol-150/decyl alcohol/saturated dicyclohexyl-methane diisocyanate copolymer.
- 16. (previously presented) The gel matrix of claim 15, which further comprises 32-45 % glycol-comprising solvent.
- 17. (previously presented) The gel matrix of claim 16, which has the following composition: polyethylene glycol-150/decyl alcohol/saturated dicyclohexylmethane diisocyanate copolymer 15 %, ethoxydiglycol 34-45 %, oil 1-5 % and polysorbate 20 1-6 %, demineralised water 41.17 %, propyl gallate 0.1 %, sodium metabisulfite 0.25 %, sodium carbonate 0.05 %, dye yellow 5 LK (14-16%) 0.50 %.
- 18. (withdrawn and currently amended) A method of using a gel matrix on a subject having an epithelial surface, said gel matrix comprising:
- a polyethylene glycol-150/decyl alcohol/saturated dicyclohexylmethane diisocyanate copolymer, which confers to said matrix the characteristics of being insoluble but

U.S. Patent Application No.: 10/685,685

Filing Date: October 15, 2003

First Named Inventor: Anthony Costa

dispersible in water, and capable of adhering to the epithelial surface to be immersed in water,

said epithelial surface comprising mucus, mucosa or skin surface,

a liquid carrier which is bio-compatible with said epithelial surface,

the gel matrix having a viscosity, before application, of about 35-55 centipoises,

according to claim 1, said method comprising topically applying said gel matrix on the epithelial

surface of the subject.

19. (withdrawn)A method according to claim 18, wherein the subject is a fish.

20. (withdrawn)A method according to claim 18, wherein the gel matrix

comprises about 15% (w/w) polyethylene glycol-150/decyl alcohol/saturated dicyclohexyl-

methane diisocyanate copolymer.

21. (withdrawn)A method according to claim 18, wherein said gel further

comprises a medication.

22. (withdrawn) A method according to claim 21, wherein said medication is one

or more anti-ulcer, anti-microbial, anti-histaminic, anti-inflammatory, soothing, wound healing,

anti-oxidant, sun screen, anti-UVs, anti-cancer, anesthetic and analgesic agents.

23. (withdrawn) A method according to claim 21, wherein said medication is an

organic oil extracted from a plant.

24. (withdrawn)A method according to claim 23, wherein said organic plant oil

extract is pine, clove, coriander or Sweet Birch oil.

4

PHDATA 1429056_1